		Event		(Qualify:	K	leffn#		
TEAM KIT -) Date:	Track			Alalisha	<u> </u>	et Lep Tin	108	
Front Suspension:									
Ride Height:	Lower Br	ace Type: Fixed Pivot	1 0				Axle Height:		
Camber:		use Type: TixedTive:					+3		0 🔲
Toe:		Ba	Il Stud Spacing:				Ball Stud Spacing:		
Anti-Roll Bar:	╡			9.				g.	
Arm Type:	Arm Mou	nt A: 1 ° 0 .5° 0	\neg				Steering Pla	ite:	
Tower Type:	= 	Gray Black							0
Wheelbase Shim:	<u> </u>		Diff H	leight:				31	21
Wheel Hex:	₹ 88		+3		Ball S	tud Spa	acing:		
Steering Block Type:	╡ 888		+2			10		3	006
Caster Block: -2°	Arm Mou	nt B: 1 ° 0 .5°	一 	밁				3 2 1	885
Chassis Brace Material:	<u> </u>	Gray Black	+0						-60
Top Plate Brace Material:	<u> </u>	m							
Front Axles: CVA DCV	7 888						(00)		
Notes:	╡ ‱	88					ВА		
Rear Suspension:									
Ride Height:	Lower Br	ace Type: Fixed Pivot	Axle	Height:	-	- G	Gearbox:	1	
Camber:			₩0	3 ▲ +3		5	Standard 🔲		
Anti-Roll Bar:	Rear Cha	ssis Brace Screws:		2 ▲ +2		r L	-2		
Arm Type:	₹ ===	nt C: 1 ° 0 .5°						43	T.
Tower Type:		Gray Black		2♥ +1				224	Q/
Wheelbase Shim:		00 00000	- □ 🙆 🗚0	3♥ +0	Carr	hon I in	k Spacing:	—— Ì	
Wheel Hex:	₹ 888				Call	Del Lili	k Spacing.		
Hub Type:	╡ ‱							3 2	885
Drive Shaft Type:	Arm Mou	nt D: 1 ° 0 .5°	Diff Hei	ght:		Ball 9	Stud Spacing:	1	884
Chassis Brace Material:		Gray Black	+3				69mm HI	D	
Upper Chassis Brace Material:			 +2		10				
Hub Spacing: Fwd Mid Back	5 88		+1 +0	님		T.	200		
Notes:	₹ ₩		+0			C	СВА	-	
Electronics		Differential:		Shocks					
Radio: Servo:		Front Center	r Rear		Fron	t.	l B	Rear	1 _
EPA: Throttle: % Brake:	%	Fluid:		Piston:	1.50				i O
ESC:	7.	Gears:	 	Thickness	:				
ESC Settings:		Туре:		Fluid:					1
Motor / Wind: Timing:		Notes:	Spring:						
Pinion: Spur:		Slipper Clutch:	Limiters:	Int:	Ext:	Int:	Ext:	1 &	
Motor Position: Forward: Back:		Туре:		Stroke:			Int: Ext: 9		Ţ ŠĻ
Battery Position:		# of Pads:	Eyelet:					i A	
Back 1 2 3 4 5 Forward		Setting:		Cup Offse	t: 0 +5	+9]0] +5	i +9	
Battery: Weight:		Notes:		Kashima			Shafts:	Machined S	_ Spacers: □
Notes:				Notes:					<u> </u>
Tirackinfo:	Tires		Body, W			V/a	hicle Comr	ments:	
Size:	Front Tires:		Body:	36,411			otes:		
Surface:	Front Compound:		Front Wing:			Ħ٣			
Traction:		Front Insert:		Rear Wing:					
Moisture:	Rear Tires:		Rear Wing Mount: 0 -2			╣ <u> </u>			
Condition:	Rear Compound:		Wing Angle: 0°			튀II [_]			
	Rear Insert:		Chassis Length:			<u> </u>			
Temperature:	Wheel (F/R):			cle Weight:		╡║╴			
Notes:	Notes:		Notes:			╡║╴			
						-1-			

For more setups, visit https:///www.associatedelectrics.com/teamassociated/manuals_and_setup_sheets/